


AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Bayco Products, Inc.	Manufacturer:	Far East Lighting Co., Ltd.
Address:	640 South Sanden Boulevard Wylie, TX 75098	Address:	Sanbei Cixi Ningbo 315331
Country:	USA	Country:	China
Contact:	Jim Conner	Contact:	Judy Huang
Phone:	469-326-9452	Phone:	0086-574-63739017
FAX:	469-326-9402	FAX:	0086-574-63739015
Email:	jconner@baycoproducts.com	Email:	fe2@fareastlamp.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Dallas, TX



Control Number: 4002026

Authorized by: _____

for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

AUTHORIZATION TO MARK

	<p>Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division I, Hazardous (Classified) Locations (UL 913, Issued: 2013/12/06 Ed: 8)</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements (UL 60079-0, Issued: 2013/07/26 Ed: 6 Rev: 2013/07/26)</p> <p>Explosive Gas Atmospheres - Part 11: Equipment Protection by Intrinsic Safety 'I' (UL 60079-11, Issued: 2013/02/15 Ed: 6 Rev: 2014/03/28)</p>
Standard(s):	<p>Intrinsically Safe And Non-Incendive Equipment For Use In Hazardous Locations (R2012) [CSA C22.2#157:1992 Ed.3 +G1;G2]</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements [CSA C22.2#60079-0:2015 Ed.3]</p> <p>Electrical Apparatus for Explosive Gas Atmospheres Part 11: Intrinsic Safety (CSA C22.2#60079-11, Issued: 2014/02/01)</p> <p>Enclosures for Use in Class II Groups E, F, and G Hazardous Locations; Gen. Inst. No. 1: 1966 (CSA C22.2#25, Issued: 1966/09/01 (R2014))</p>
Product:	<p>Portable LED Flashlight and/or Floodlight</p> <p>For Use In: Class I, Division 1, Groups A, B, C & D; Class II, Division 1, Groups E, F & G; Class III; Class I, Zone 0; Hazardous (Classified) Locations</p> <p>Protection Method: AEx ia IIC T3 Ga and Ex ia IIC T3 Ga;</p> <p>Temperature Code: T3</p> <p>Ambient Temperature Range: -20 °C (-4 °F) to +40 °C (+104 °F)</p>
Brand Name:	Nightstick
Models:	XPP-5420 and XPP-5422 may be followed by B or G or GX. XPP-5422 may additionally be followed by GM or GMX.



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Bayco Products, Inc.	Manufacturer: Longkou Dongli Wire and Cable Co., Ltd.
Address: 640 South Sanden Boulevard Wylie, TX 75098	Address: 413 Beihuan Road, Huangcheng, Longkou Shandong 265701
Country: USA	Country: China
Contact: Jim Conner	Contact: Daniel
Phone: 469-326-9452	Phone: 0535-3126900 / 15306382326
FAX: 469-326-9402	FAX: 0535-8526169
Email: jconner@baycoproducts.com	Email: daniel@dongfang-china.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Dallas, TX	<i>Catherine Dwyer</i>
Control Number: <u>4003544</u>	Authorized by: _____ for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

AUTHORIZATION TO MARK

	<p>Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division I, Hazardous (Classified) Locations (UL 913, Issued: 2013/12/06 Ed: 8)</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements (UL 60079-0, Issued: 2013/07/26 Ed: 6 Rev: 2013/07/26)</p> <p>Explosive Gas Atmospheres - Part 11: Equipment Protection by Intrinsic Safety 'I' (UL 60079-11, Issued: 2013/02/15 Ed: 6 Rev: 2014/03/28)</p>
Standard(s):	<p>Intrinsically Safe And Non-Incendive Equipment For Use In Hazardous Locations (R2012) [CSA C22.2#157:1992 Ed.3 +G1;G2]</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements [CSA C22.2#60079-0:2015 Ed.3]</p> <p>Electrical Apparatus for Explosive Gas Atmospheres Part 11: Intrinsic Safety (CSA C22.2#60079-11, Issued: 2014/02/01)</p> <p>Enclosures for Use in Class II Groups E, F, and G Hazardous Locations; Gen. Inst. No. 1: 1966 (CSA C22.2#25, Issued: 1966/09/01 (R2014))</p>
Product:	<p>Portable LED Flashlight and/or Floodlight</p> <p>For Use In: Class I, Division 1, Groups A, B, C & D; Class II, Division 1, Groups E, F & G; Class III; Class I, Zone 0; Hazardous (Classified) Locations</p> <p>Protection Method: AEx ia IIC T3 Ga and Ex ia IIC T3 Ga;</p> <p>Temperature Code: T3</p> <p>Ambient Temperature Range: -20 °C (-4 °F) to +40 °C (+104 °F)</p>
Brand Name:	Nightstick
Models:	XPP-5420 and XPP-5422 may be followed by B or G or GX. XPP-5422 may additionally be followed by GM or GMX.



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Bayco Products, Inc.	Manufacturer:	VIGEX INTERNATIONAL LTD
Address:	640 South Sanden Boulevard Wylie, TX 75098	Address:	#36 4th Innovation Road, Jinding, Zhuai, Guangdong
Country:	USA	Country:	China 519085
Contact:	Jim Conner	Contact:	Royoko Fang
Phone:	469-326-9452	Phone:	86-756-363 0280
FAX:	469-326-9402	FAX:	NA
Email:	jconner@baycoproducts.com	Email:	royokofang@gmail.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Dallas, TX		
Control Number:	<u>4008947</u>	Authorized by:	<u><i>Catherine Dwyer</i></u> for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

AUTHORIZATION TO MARK

	<p>Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division I, Hazardous (Classified) Locations (UL 913, Issued: 2013/12/06 Ed: 8)</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements (UL 60079-0, Issued: 2013/07/26 Ed: 6 Rev: 2013/07/26)</p> <p>Explosive Gas Atmospheres - Part 11: Equipment Protection by Intrinsic Safety 'I' (UL 60079-11, Issued: 2013/02/15 Ed: 6 Rev: 2014/03/28)</p>
Standard(s):	<p>Intrinsically Safe And Non-Incendive Equipment For Use In Hazardous Locations (R2012) [CSA C22.2#157:1992 Ed.3 +G1;G2]</p> <p>Explosive Atmospheres - Part 0: Equipment - General Requirements [CSA C22.2#60079-0:2015 Ed.3]</p> <p>Electrical Apparatus for Explosive Gas Atmospheres Part 11: Intrinsic Safety (CSA C22.2#60079-11, Issued: 2014/02/01)</p> <p>Enclosures for Use in Class II Groups E, F, and G Hazardous Locations; Gen. Inst. No. 1: 1966 (CSA C22.2#25, Issued: 1966/09/01 (R2014))</p>
Product:	<p>Portable LED Flashlight and/or Floodlight</p> <p>For Use In: Class I, Division 1, Groups A, B, C & D; Class II, Division 1, Groups E, F & G; Class III; Class I, Zone 0; Hazardous (Classified) Locations</p> <p>Protection Method: AEx ia IIC T3 Ga and Ex ia IIC T3 Ga;</p> <p>Temperature Code: T3</p> <p>Ambient Temperature Range: -20 °C (-4 °F) to +40 °C (+104 °F)</p>
Brand Name:	Nightstick
Models:	XPP-5420 and XPP-5422 may be followed by B or G or GX. XPP-5422 may additionally be followed by GM or GMX.